

Casambi DALI gateway


Casambi “Wireless DALI”

Casambi Wireless DALI

- Casambi networks can be seamlessly integrated with existing DALI systems
- Casambi DALI gateway looks like a standard DALI gear to the DALI controller
- Casambi networks can be controlled same way as wired DALI systems, making this in effect a Wireless DALI solution




DALI Gateway in action



1

Extend DALI systems with Casambi wireless DALI segments

DALI Gateway in action



1

Extend DALI systems with Casambi wireless DALI segments

2

Connect Casambi networks to BMS systems supporting BACnet or KNX

DALI Gateway in action

- Casambi networks look like DALI networks to DALI controllers
- Casambi networks can have any Casambi Ready devices, not just DALI devices
- One gateway supports 64 DALI short addresses. Multiple gateways can be used for one Casambi network.

Supported DALI Functionality

- Device discovery and address assignment
- Groups and Scenes
- DT6 (Dimming) and DT8 support (Tuneable white, Color: RGB and XY)
- DALI STATUS queries
- DALI-2 sensor and switch support * (in Beta)
- D4i data format support * (In release 2.0)

- Casambi Ready and DALI devices can be mixed and matched in Casambi wireless networks
- Casambi functionality and DALI controller functionality can be mixed and matched

Widest Ecosystem of Interoperable Devices

- Any of the below can be used both within Casambi wireless networks and with DALI wired networks
- Casambi Ready devices from Casambi Ecosystem
- DALI devices from DALI Ecosystem
- EnOcean devices
- 0-10V and 1-10V devices
- PWM controllable LED-strips
- Phase cut dimmable light sources

DALI Gateway Availability

- Updated Casambi apps available in Apple App Store and Google Play Store (Version 3.2)
- Gateway is a Firmware upgrade (Version 32) for existing Casambi DALI devices with an attractive price of 0 €



CBU-DCS

Thank you.